



NARROW BODY

LENGTH

Up to 26 ft

LEVEL CAPACITY

Up to 676 ft³

HEAPED CAPACITY

Up to 845 ft³

BEATER PROTECTION

Shear Bolt

CONTROLS

Electric and Hydraulic

TRUCK MOUNT SPREADER

SAFE ON THE ROAD. TOUGH IN THE FIELD.

The most cost-effective solution for moving high volumes of manure.

Our Truck Mounted Spreader is best suited for all types of applications but especially when substantial road travel is required. Built to travel safely on public roads – saving you time and money.

The Truck Mount Spreader comes in both NARROW BODY and WIDE BODY mounts, and can be easily converted for silage.

TRUCK MOUNT SPECIFICATIONS - NARROW BODY

	VMT1848	VMT2048	VMT2248	VMT2448	VMT2648
Dimensions					
Overall Length	6.4 m 252 in	7.0 m 276 in	7.9 m 300 in	8.2 m 324 in	8.8 m 348 in
Overall Height	2.3 m 92 in				
Overall Width	2.5 m 100 in				
Inside Box Width	2.0 m 78 in				
Inside Box Length	4.9 m 192 in	5.49 m 216 in	6.1 m 240 in	6.7 m 264 in	7.3 m 288 in
Load Height	N/A	N/A	N/A	N/A	N/A
Level Capacity	13.3 m³ 448 ft³	14.7 m³ 468 ft³	16.2 m³ 520 ft³	17.7 m³ 624 ft³	19.1 m³ 676 ft³
Heaped Capacity	16.6 m³ 585 ft³	18.4 m³ 650 ft³	20.2 m³ 715 ft³	22.1 m³ 780 ft³	23.9 m³ 845 ft³
Carrying Capacity	N/A				
Empty Weight	N/A				
Standard Features					
Box Construction	10 Gauge				
End Gate	Guillotine				
Bulkhead	Standard				
Fenders with Mud Flaps	Yes				
Decal Package	Basic				
Fold Away Lights	Yes				
Apron/Floor					
Long-Link 5/8" Grade 100 Floor Chain	Yes				
Galvanized & Removable Cross Slats	Yes				
Floor Drive	Single			Dual	
UHMW Plastic Floor	Yes				
Steel Idler Sprockets with Bronze Brushings	Yes				
Beaters					
Vertimax Vertical Beaters	Yes				
Hurricane Beaters	Optional				
Quick Attach Beaters	Yes				
Hardox® Beaters	No				
Mechanical					
Beater Protection	Shear Bolt				
Controls	Electric and Hydraulic				
Rear Drive Shaft Diameter	2 3/16 in 55 mm				
Add Ons					
Silage Kit	No				
Wall Extensions	Optional				
Scale & Rate Controller	Optional				
Flight Protection System	Optional				



WIDE BODY

TRUCK MOUNT SPREADER

SAFE ON THE ROAD. TOUGH IN THE FIELD.

LENGTH

Up to 26 ft

LEVEL CAPACITY

Up to 769 ft³

HEAPED CAPACITY

Up to 962 ft³

BEATER PROTECTION

Shear Bolt

CONTROLS

Electric and Hydraulic

The most cost-effective solution for moving high volumes of manure.

Our Truck Mounted Spreader is best suited for all types of applications but especially when substantial road travel is required. Built to travel safely on public roads – saving you time and money.

The Truck Mount Spreader comes in both NARROW BODY and WIDE BODY mounts, and can be easily converted for silage.

TRUCK MOUNT SPECIFICATIONS - WIDE BODY

	VMWBT1848	VMWBT2048	VMWBT2248	VMWBT2448	VMWBT2648
Dimensions					
Overall Length	6.7 m 264 in	7.3 m 288 in	7.9 m 312 in	8.5 m 336 in	9.1 m 360 in
Overall Height	2.3 m 92 in				
Overall Width	2.6 m 102 in				
Inside Box Width	2.2 m 88 in				
Inside Box Length	4.9 m 192 in	5.5 m 216 in	6.1 m 240 in	6.7 m 264 in	7.3 m 288 in
Load Height	N/A				
Level Capacity	15.1 m³ 533 ft³	16.7 m³ 592 ft³	18.4 m³ 651 ft³	20.1 m³ 710 ft³	21.8 m³ 769 ft³
Heaped Capacity	18.9 m³ 666 ft³	21.0 m³ 740 ft³	23.1 m³ 814 ft³	25.2 m³ 888 ft³	27.2 m³ 962 ft³
Carrying Capacity	N/A				
Empty Weight	N/A				
Standard Features					
Box Construction	10 Gauge				
End Gate	Guillotine				
Bulkhead	Standard				
Fenders with Mud Flaps	Yes				
Decal Package	Basic				
Fold Away Lights	Yes				
Apron/Floor					
Long-Link 5/8" Grade 100 Floor Chain	Yes				
Galvanized & Removable Cross Slats	Yes				
Floor Drive	Dual				
UHMW Plastic Floor	Yes				
Steel Idler Sprocket with Bronze Brushings	Yes				
Beaters					
Vertimax Vertical Beaters	Yes				
Hurricane Beaters	Optional				
Quick Attach Beaters	Yes				
Hardox ® Beaters	No				
Mechanical					
Beater Protection	Shear Bolt				
Controls	Electric and Hydraulic				
Rear Drive Shaft Diameter	2 3/16 in 55 mm				
Add Ons					
Silage Kit	Optional				
Wall Extensions	Optional				
Scale & Rate Controller	Optional				
Flight Protection System	Optional				